


## SHADING CORRECTION AND WHITE BALANCE

### SHADING CORRECTION

All lenses show some vignetting as a function of the field angle. Hence, even with homogeneous object illumination, the signal intensity of the image decreases with increasing image height.


Shading correction (or flat field compensation) is used to compensate for lens vignetting as well as for inhomogeneity in the illumination. Shading correction is achieved by performing a white balance calibration during illumination of a homogeneous white target.

An individual gain for each pixel is obtained by scaling each value to a normalized maximum signal. The oscilloscope display now shows a homogeneous intensity distribution along the entire length of the line sensor.



### BEFORE SHADING CORRECTION: LENS VIGNETTING AND INHOMOGENEOUS OBJECT ILLUMINATION

A monochrome line scan camera signal of a homogeneous white calibration target showing signal trimming caused by either lens vignetting or inhomogeneous object illumination.




### AFTER SHADING CORRECTION: HOMOGENEOUS INTENSITY DISTRIBUTION

Monochrome line scan camera signal after shading correction.


### WHITE BALANCE

The shading correction procedure is also used for white balance calibrations in color line scan cameras. The different sensitivities of the individual color channels of the sensor are compensated for, as well as any color inhomogeneity arising from the illumination source.



### COLOR SIGNAL BEFORE USING SHADING CORRECTION FOR WHITE BALANCE

Signal from a color line scan camera of a homogeneous white calibration target. Differences in the offsets in the amplifier for the red, green and blue signals lead to a differing signal level for the three colors.




### AFTER SHADING CORRECTION AND WHITE BALANCE: HOMOGENEOUS INTENSITY FOR ALL COLOR CHANNELS

Color line scan signal after shading correction.

### SKLINESCAN: SHADING CORRECTION AND WHITE BALANCE

The SkLineScan software package provides all necessary functions for the performance of shading correction and white balance. For individual software needs, library functions for shading correction and white balance are provided in the SDKs for the various interfaces.



### SKLINESCAN SOFTWARE: SHADING CORRECTION AND WHITE BALANCE

Pop-up window for performing shading correction in the SkLineScan software allows white balance calibration to be performed automatically or manually.

This is a printout of the page <https://sukhamburg.com/support/technotes/linescancamera/basics/shading.html> from 6/17/2025

## CONTACT

For more information please contact:

Schäfter + Kirchhoff GmbH

Kieler Str. 212

22525 Hamburg

Germany

Tel: +49 40 85 39 97-0

Fax: +49 40 85 39 97-79

[info@sukhamburg.com](mailto:info@sukhamburg.com)

[www.sukhamburg.com](http://www.sukhamburg.com)

## LEGAL NOTICE

**Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.**

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [\[more\]](#)